

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5 : G07F 17/32, 17/34		A1	(11) International Publication Number: WO 91/06931
			(43) International Publication Date: 16 May 1991 (16.05.91)
<p>(21) International Application Number: PCT/FI90/00254</p> <p>(22) International Filing Date: 25 October 1990 (25.10.90)</p> <p>(30) Priority data: 895289 7 November 1989 (07.11.89) FI</p> <p>(71) Applicant (<i>for all designated States except US</i>): RAHA-AUTOMAATTIYHDISTYS [FI/FI]; Keilaranta 4, SF-02150 Espoo (FI).</p> <p>(72) Inventor; and</p> <p>(75) Inventor/Applicant (<i>for US only</i>): MARTTI, Lauri [FI/FI]; Karpitie 3 E, SF-00640 Helsinki (FI).</p> <p>(74) Agent: OY KOLSTER AB; Stora Robertsgatan 23, P.O. Box 148, SF-00121 Helsinki (FI).</p>		<p>(81) Designated States: AT, AT (European patent), AU, BB, BE (European patent), BG, BR, CA, CH, CH (European patent), DE, DE (European patent), DK, DK (European patent), ES, ES (European patent), FI, FR (European patent), GB, GB (European patent), GR, GR (European patent), HU, IT (European patent), JP, KP, KR, LK, LU, LU (European patent), MC, MG, MW, NL, NL (European patent), NO, RO, SD, SE, SE (European patent), SU, US.</p> <p>Published <i>With international search report.</i></p>	
<p>(54) Title: A GAME PLAYING APPARATUS</p> <p>The diagram illustrates a game playing apparatus. At the top, a coin slot labeled 'K' feeds into a lottery device '1'. This device has a vertical output shaft labeled '7' that connects to a base unit '4'. Inside the base unit, there is a small display '14' and a card game device '12'. A control board '3' is connected to the base unit via a cable '9'. The control board also has a display '11' showing a grid of symbols. A small motor or actuator '5' is connected to the control board '3' via a cable '8'. The control board '3' is also connected to a power source '6'. Finally, the control board '3' has a cable '10' leading to an external device, possibly a printer or another part of the system.</p> <p>(57) Abstract</p> <p>A game playing apparatus comprising a lottery-type lot drawing device which starts at least one lot drawing event by means of a coin, the lot drawing device drawing for each lot drawing event an individual outcome (11) among prize-winning and losing outcomes; and a display device (3) for displaying the outcome of the lot drawing. In order to make a lottery-type game more interesting, the display device (3) is arranged to visually display the outcome (11) of the lot drawing in terms of the rules of a card game (12) or other similar game known per se.</p>			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MC	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MR	Mauritania
BE	Belgium	GA	Gabon	MW	Malawi
BF	Burkina Faso	GB	United Kingdom	NL	Netherlands
BG	Bulgaria	GR	Greece	NO	Norway
BJ	Benin	HU	Hungary	PL	Poland
BR	Brazil	IT	Italy	RO	Romania
CA	Canada	JP	Japan	SD	Sudan
CF	Central African Republic	KP	Democratic People's Republic of Korea	SE	Sweden
CG	Congo	KR	Republic of Korea	SN	Senegal
CH	Switzerland	LI	Liechtenstein	SU	Soviet Union
CI	Côte d'Ivoire	LK	Sri Lanka	TD	Chad
CM	Cameroon	LU	Luxembourg	TC	Togo
DE	Germany	MC	Monaco	US	United States of America

A game playing apparatus

This invention relates to a game playing apparatus comprising

5 - a lottery-type lot drawing device starting at least one lot drawing event by means of a coin or other similar token, the lot drawing device drawing, for each lot drawing event, an individual outcome among prizewinning and losing outcomes; and

10 - a display device for displaying said outcome.

Various apparatuses for playing a game of skill are previously known in which a coin is used to initiate a game event and in which the course of the game affects the outcome of the game in such a way 15 that the player either wins a prize or loses the coin. In this kind of game playing apparatuses, the player is able to influence the outcome of the game by his own skill so that in the worst case an unskillful player may constantly lose his stake.

20 For this reason, devices for playing games of skill of the type described above are not permitted in certain countries. In some of these countries, however, lotteries and other similar games, such as "scraping cards", are permitted. In lottery-type

25 games, one lottery round includes a predetermined number of prizewinning as well as losing lots or marks appearing in random order. The outcome of the game is thereby usually shown as a sequence of numbers which indicates whether the player is en-

30 titled to a prize or not, or with words or symbols which indicate the amount to be paid out or the losing of the stake. A drawback of lottery-type games is, however, that the player knows in advance that he cannot influence the course of the game by his own skill but the outcome of the game is predetermined by

the random occurrence of the prizes. This is a factor which considerably reduces the interest of the player in this type of game.

The object of the present invention is to
5 provide a lottery-type game playing apparatus which avoids the above-mentioned drawback and which is considerably more interesting for the player in spite of the fact that the player's skill does not actually influence the course of the game. This object is
10 achieved by a game playing apparatus according to the invention, which is characterized in that the display device is arranged to visually display the outcome of the lot drawing in terms of the rules of a card game or other similar game known per se.

15 The invention is based on the idea that by combining a lottery event with a card playing event, the player's interest in a simple lottery game is considerably increased as the player in the first place has the feeling that he is playing a card game
20 familiar to him. It is obvious that it is considerably more interesting for the player who has started the game to see the outcome of the game in terms of the rules of a well-known card game, such as poker ("full house", "pair", a non-winning combination
25 of cards, etc.) instead of seeing the outcome indicated with such signs as "PRIZE 20,-" or "NO PRIZE". In this way a less interesting lottery game is made more attractive by associating it with game playing apparatuses giving high prizes. The game itself, however, is a lottery game permitted in
30 countries which do not permit slot machines, such as fruit machines, in which the player is able to influence the amount of money to be paid out as a prize.

35 In the following, the invention will be de-

scribed in greater detail with reference to the attached drawings, in which

5 Figure 1 illustrates schematically the operating principle of one embodiment of a game playing apparatus of the invention; and

Figure 2 shows the display panel of the game playing apparatus.

10 The main parts of the game playing device shown in the drawings include a coin slot 1, a central processing unit 2, a display panel 3, a cash 4, a receipt machinery 5 and a lottery ticket delivering device 6.

15 The coin slot 1 is connected to the cash 4 and provided with means 7 for causing the processing unit 2 to effect one lot drawing event. The processing unit is connected through means 8 to the display panel 3 to display the outcome of the lot drawing on the display panel. The processing unit is also connected through means 9 to the receipt machinery 5 to 20 write out a lottery ticket 10. The receipt machinery is connected to the delivering device 6, which delivers the lottery ticket to the player.

25 In this specific case, the outcome of the lot drawing is shown by five cards 11, and the prizes 12 follow the winning combinations of the poker game. Other combinations of cards do not entitle to a prize. The distribution of prizes between the different winning combinations, the amounts to be paid out, and the number of the prizes for the different 30 combinations can be selected as desired with respect to the total number of lot drawing events included in one lottery round.

35 The winning scheme is permanently programmed in the memory of the central processing unit as well as the lot drawing program. The memory of the unit con-

tains a table which comprises one element for each lottery ticket and another table which shows the amount to be paid out as a prize. When one particular element has once been selected, it is marked so that 5 it cannot be used again. The same applies to each prize which has already been won. If the outcome of the lot drawing does not entitle to a prize, the display panel shows five randomly selected cards which do not form a winning combination. A prizewinning 10 lottery ticket causes a corresponding winning combination to appear in the display. The operation of the lot drawing program is all the time controlled by a random number generator 13 the state of which cannot be calculated from outside. When the lots are 15 drawn, they are all of equal value. This kind of lot drawing devices are known per se.

For each lot drawing event, the receipt machinery writes out a lottery ticket in which the possible prize is indicated. The prize will be paid 20 out to the player against the lottery ticket.

Prizewinning lot numbers can be distributed in two different ways.

The lot numbers included in one lottery round are fed to a data cassette 14 in the order in which 25 they are selected by the random number generator. The cassette is then positioned in the processing unit. When the player inserts a coin into the coin slot 1, the unit applies a signal to the receipt machinery so that it writes out, on the lottery ticket to be given 30 to the player, information on whether the player wins a prize or not. The information to be written on the lottery ticket is in each case positioned uppermost in the memory.

Instead of allowing the random number generator 35 to feed the lot numbers included in one lottery round

in advance and in random order into the cassette, the random number generator can be positioned in the central processing unit to select the lot numbers at the moment when a coin is inserted into the device.

5 In other respects the device operates similarly as the first alternative. In both cases the lottery ticket is not printed until during the lot drawing, and the device does not comprise any preprinted lottery tickets which might tempt to theft.

10 It can be seen that as the outcome of the lot drawing is shown in terms of the rules of a card game requiring special skill, the player gets an idea that he is playing a game of skill. The lot drawing process itself is nevertheless controlled by a lottery-type game playing device.

15 The drawings and the description related thereto are only intended to illustrate the idea of the invention. In its details, the device of the invention may vary within the scope of the claims. In 20 place of the card combinations of the poker game the outcome of the game can be shown in terms of any other well-known card game or other similar game. The receipt machinery may alternatively be controlled by the display device 3.

25 Even though the invention has been described above in connection with a game in which the outcome of the lot drawing is shown in terms of combinations of cards, the outcome can also be shown by means of combinations of numbers, letters or symbols. In some 30 countries, certain numbers or combinations of numbers, for instance, may be considered to bring luck or have some other favorable effects, whereas in some other countries certain figures or combinations of figures may have a positive symbolic meaning. The 35 definition "card game or other similar game" is

therefore intended to also include such ways of displaying the outcome of the lot drawing.

The definition "coin or other similar token" is intended to include bank notes if the game playing apparatus can be started with a bank note for at least one lot drawing event.

Claims:

1. A game playing apparatus comprising
 - a lottery-type lot drawing device (2) starting at least one lot drawing event by means of a coin (K) or other similar token, the lot drawing device drawing for each lot drawing event an individual outcome (11) among prizewinning and losing outcomes; and
- 10 - a display device (3) for displaying said outcome,
characterized in that
 - the display device (3) is arranged to visually display the outcome (11) of the lot drawing in terms of the rules of a card game (12) or other similar game known per se.
- 15 2. A game playing apparatus according to claim 1, characterized in that the display device (3) is arranged to display during each lot drawing event the outcome (11) drawn by the lot drawing device (2), which outcome (11) is next among prizewinning (12) and losing outcomes positioned in an order selected by a random number generator (13).
- 20 3. A game playing apparatus according to claim 1, characterized in that the display device (3) is arranged to display during each lot drawing event the outcome (11) drawn by the lot drawing device (2), which outcome (11) is selected among prizewinning (12) and losing outcomes by a random number generator (13).
- 25 30 4. A game playing apparatus according to any of claims 1 to 3, characterized in that the display device (3) displays the outcome (11) of the lot drawing in terms of the combinations of cards of the poker game.

5. A game playing apparatus according to any of claims 1 to 3, characterized in that the display device (3) displays the outcome (11) of the lot drawing by means of combinations of numbers, letters or figures.

10 6. A game playing apparatus according to any of the preceding claims, characterized in that it is provided with a receipt machinery (5) controlled by the lot drawing device (2) and/or the display device (3), whereby the outcome (11) of the lot drawing displayed on the display device (3) is printed on a lottery ticket (10) by means of said receipt machinery.

1/1

FIG. 1






FIG. 2

INTERNATIONAL SEARCH REPORT

International Application No. PCT/FI 90/00254

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) ⁶		
According to International Patent Classification (IPC) or to both National Classification and IPC IPC5: G 07 F 17/32, G 07 F 17/34		
II. FIELDS SEARCHED		
Minimum Documentation Searched ⁷		
Classification System	Classification Symbols	
IPC5	G 07 F	
Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in Fields Searched ⁸		
SE,DK,FI,NO classes as above		
III. DOCUMENTS CONSIDERED TO BE RELEVANT⁹		
Category	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³
X	GB, A, 2169736 (JPM (AUTOMATIC MACHINES) LIMITED) 16 July 1986, see page 1, line 8 - line 15; claims 1,2	1,3,4,5, 6
Y	--	2
Y	US, A, 4573681 (K. OKADA) 4 March 1986, see column 2, line 20 - line 48; figure 26	2

<p>* Special categories of cited documents: ¹⁰</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance, the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance, the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"&" document member of the same patent family</p>		
IV. CERTIFICATION		
Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report	
16th January 1991	1991 -01- 28	
International Searching Authority	Signature of Authorized Officer	
SWEDISH PATENT OFFICE	 HAKAN OLSSON	

**ANNEX TO THE INTERNATIONAL SEARCH REPORT
ON INTERNATIONAL PATENT APPLICATION NO.PCT/FI 90/00254**

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.
The members are as contained in the Swedish Patent Office EDP file on **90-11-28**
The Swedish Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
GB-A- 2169736	86-07-16	NONE		
US-A- 4573681	86-03-04	AU-B- 557348 AU-D- 2676484 EP-A-B- 0122138 JP-A- 59186580		86-12-18 84-10-11 84-10-17 84-10-23